SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Trade Name CHEMBRITE AB

Product Form Mixture
Product Code 11-11180

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Product Stainless Steel Cleaner & Brightener

1.3 Details of the Supplier of the safety data sheet

ChemQuest Inc. 21365 Hamburg Ave. Lakeville, MN 55024 (877)437-3478

infocq@chemquestinc.com

1.4 Emergency telephone number

Emergency Number ChemTrec 1-800-424-9300

SECTION 2: Hazards Identification

2.1 Classification of the substance

Classification

Hazard Code	Hazard Class	Hazard Category
H301	Acute toxicity, oral	3
H310	Acute toxicity, dermal	2
H314	Skin corrosion/irritation	1B
H331	Acute toxicity, inhalation	3
H351	Carcinogenicity	2
H412	Hazardous to the aquatic environment, chronic toxicity	3

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAEFTY PRACTICES

2.2 Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)







Signal Word (GHS-US): **Danger** <u>Hazard Statements (GHS-US):</u>

H301: Toxic if swallowed

H310: Fatal in contact with skin

H314: Causes severe skin burns and eye damage

H331: Toxic if inhaled

H351: Suspected of causing cancer

H412: Harmful to aquatic life with long lasting effects

Precautionary Statements (GHS-US):

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and understood

P260: Do not breathe dust/fumes/gas/mist/vapors/spray

P262: Do not get in eyes, on skin, or on clothing

P264: Wash thoroughly after handling

Safety Data Sheet

P270: Do not eat, drink or smoke when using this product

P271: Use only outdoors or in a well-ventilated area

P273: Avoid release into the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P311: Call a POISON CENTER or doctor/physician

P321: Specific treatment (see section 4)
P322: Specific measures (see section 4)

P363: Wash contaminated clothing before reuse

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P350: IF ON SKIN: Gently wash with soap and water

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

P308+P313: IF exposed or concerned: Get medical advice/attention

P403+P233: Store in a well ventilated place. Keep container tightly closed

P405: Store locked up

P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3 Other Hazards

No additional information available

2.4 Unknown acute toxicity (GHS-US)

No Data Available

SECTION 3: Composition/Information on Ingredients

3.1 Substance

Not applicable

3.2 Mixture

Ingredient Name	CAS#	Composition
Water	7732-18-5	>75%
Hydrofluoric Acid	7664-39-3	5-10%
Sulfuric Acid	7664-93-9	5-10%
Nonylphenol, ethoxylated	127087-87-0	1-5%

SECTION 4: First Aid Measures

4.1 Description of first aid measures

First-Aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-Aid after inhalation IF INHALED. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician. Use artificial respiration and oxygen if needed. If

irritation persists, seek medical attention.

First-Aid after skin contact IF ON SKIN. Wash with soap and water. IF ON SKIN (or hair). Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. Immediately rinse with plenty of water (for at least 15 minutes). Treat exposed area with calcium gluconate 2.5% gel. Get prompt medical attention.

First-Aid after eye contact IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do – continue rinsing. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Irrigate with calcium gluconate 1% saline solution.

Get prompt medical attention.

Safety Data Sheet

First-Aid after ingestion IF SWALLOWED. Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do

NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries Toxic if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Toxic

if inhaled. Suspected of causing cancer.

Symptoms/injuries after inhalation Toxic if inhaled.

Symptoms/injuries after skin contact Fatal in contact with skin. Causes severe skin burns and eye damage.

Symptoms/injuries after ingestion Toxic if swallowed.

Chronic symptoms No data available.

4.3 Indication of immediate medical attention and special treatment needed

CALCIUM GLUCONATE GEL: Wearing chemical protective gloves, start massaging 2.5% calcium gluconate gel into the burn site. Apply gel frequently and massage continuously until medical attention is available. Quickly transport victim to an emergency care facility. Double bag, seal, label and leave contaminated clothing, shoes and leather goods at the scene for safe disposal.

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray.

5.2 Special hazards arising from the substance or mixture

Fire Hazard The product is not flammable.

Explosion Hazard The product is not explosive.

Reactivity Concentrated solution contact with metals will produce hydrogen gas.

5.3 Special hazards arising from the substance or mixture

Firefighting instructions Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any

chemical fire. Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews

properly equipped with respiratory equipment and full chemical protective gear (see Section 8). If burned in a fire, this product produces extremely corrosive and very toxic hydrogen fluoride gas or fumes. Contact with metals, such as iron or steel, slowly releases extremely flammable and potentially explosive hydrogen gas. Closed containers may rupture violently and suddenly release large amounts of product when exposed to fire or excessive heat for a sufficient period of time. Firefighters should wear a positive pressure self-contained respirator (SCBA) and full-

body encapsulating chemical protective suit.

6.1.1 For non-emergency personnel

Protective equipment Wear Protective equipment as described in Section 8.

Emergency procedures Contain the spill. Do not let product enter drains. Evacuate unnecessary personnel.

6.1.2 For emergency responders

Protective equipment Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or publics waters.

6.3 Methods and material for containment and cleaning up

For containment Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams.

Safety Data Sheet

Methods for cleaning up

Contain spill with absorbent material which does not react with spilled material and cautiously dilute with large excess of water. Provide good ventilation. Contaminated absorbent material will pose the same hazards as the spilled product. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Qualified clean-up personnel may neutralize carefully with soda ash or lime. An approved calcium source may be needed to neutralize excess fluoride. Material will fume during neutralization; approach from upwind.

6.4 reference to other sections

No additional information available.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Precautions for safe handling

Do not handle until all safety precautions and first aid information have been read and understood. Causes severe burns which may not be readily apparent to any exposed areas. Treat any exposures. Wear proper safety equipment including chemically resistant gloves, goggles and face shield. Protective outerwear is highly recommended. Use only with adequate ventilation. Do not move to unmarked containers. Do not use metal containers. This product is incompatible with glass, alkaline materials and most metals. This product may release hydrogen gas in contact with some materials, therefore keep away from sources of ignition.

7.2 Conditions for safe storage, including and incompatibilities

Storage conditions

Store locked up. Store in approved containers only. Do not store in metal or glass containers. Do not store in direct sunlight. Empty container may contain hazardous residue. Do not add any other material to the container. Do not wash down the drain. Do not get in eyes, on skin, or on clothing. Wash well after use. Handle in accordance with good storage and handling practices. Do not allow smoking or food consumption while handling. Keep container in a cool, well ventilated place away from heat sources and incompatible materials (See Section 10.5). Keep container tightly closed.

7.3 Specific end uses

No additional information

SECTION 8: Exposure Controls/Personal Protection

8.1 control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless listed stated below:

Hydrogen fluoride (as F), CAS # 7664-39-3				
OSHA PEL (TWA)	OSHA PEL (STEL)	OSHA PEL (Ceiling)	ACGIH-TLV	
3 ppm	Not Established	Not Established	0.5 ppm (TWA),2 ppm(Ceiling)	

Sulfuric acid, CAS # 7664-93-9					
OSHA PEL (TWA)	OSHA PEL (STEL)	OSHA PEL (Ceiling)	ACGIH-TLV		
1 mg/m3	Not Established	Not Established	0.2 mg/m3 (TWA)		

8.2 Exposure Controls

Personal protective equipment Protective safety glasses or goggles. Chemically resistant gloves. Protective clothing. Face

shield. Respiratory protection of the dependent type.

Hand protection Chemical resistant gloves.

possibility exists for eye or face contact due to spraying liquid or airborne particles.

Skin and body protection Wear long sleeves. Wear suitable protective clothing. Face shield when possibility exists

contact due to spraying liquid or airborne particles.

exceeding exposure limits.

SECTION 9: Physical and Chemical Properties

Safety Data Sheet

9.1 Information on basic physical and chemical properties

Appearance Tinted Liquid
Color Green

Odor No data available
Odor threshold No data available

pH 0.5

Relative Evaporation rate (butyl No data Available Melting point No data Available Freezing point No data Available **Boiling point** No data Available Flash point No Data Available Self ignition point No data Available Decomposition temperature No data Available Flammability (solid, gas) No data Available Vapor pressure No data Available Relative vapor density at 20° C No data Available Relative Density 1.117 g/ml Solubility Water soluble Log Pow No data Available Log Kow No data Available No data Available Viscosity: Kinematic Viscosity: dynamic No data Available Explosive properties No data Available No data Available Oxidizing properties **Explosive Limits** No data Available

9.2 Exposure Controls

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with reactive metals (e.g. aluminum) may result in the generation of hydrogen gas.

10.2 Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions

Corrosive in contact with metals. Contact with metallic substances may release flammable hydrogen gas. Contact with strong Bases will cause excessive heat and splattering.

10.4 Conditions to avoid

None known

10.5 Incompatible Materials

Avoid contact with: bases, water, glass, amines, metals, ammonia, lithium, halogens, oxidizers, strong acids, acid chlorides, inorganic acids, inorganic bases, strong reducers, organic materials, and alkali earth metals

10.6 Hazardous decomposition products

Thermal decomposition can result in: ketones, aldehydes, toxic fumes, hydrocarbons, hydrogen gas, carbon oxides, sulfur oxides, irritating fumes, hydrogen cyanide, hydrogen sulfide, and organic compounds

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral LD50: 57 mg/kg (rat) Calculated

Dermal LD50: 57 mg/kg (rabbit) Calculated

Inhalation LD50: 0.56 mg/l (Dust/mist (Rat)) Calculated

Skin Corrosion/irritation Causes severe skin burns and eye damage

Safety Data Sheet

Serious eye damage/irritation Causes severe skin burns and eye damage

Respiratory or skin sensitization Not Classified
Germ cell mutagenicity Not Classified

Carcinogenicity Suspected of causing cancer. Sulfuric Acid, CAS# 7664-93-9, IRAC Group 1, Carcinogenic to

humans, 5-10% by wt.

Reproductive toxicity Not Classified Specific organ toxicity single exposure Not Classified Specific organ toxicity repeated exposure Not Classified Not Classified Aspiration hazard Symptoms/injuries after inhalation See Section 4 Symptoms/injuries after skin contact See Section 4 Symptoms/injuries after eye contact See Section 4 Symptoms/injuries after ingestion See Section 4 Chronic symptoms Not Classified

SECTION 12: Ecological information

12.1 Toxicity

No Data

12.2 Persistence and degradability

No Data

12.3 Bioaccumlative potential

No Data

12.4 Mobility in soil

No Data

12.5 Other adverse effect

No Data

SECTION 13: Disposal Considerations

13.1 Waste Treatment methods

Waste treatment methods Do not discharge to public wastewater systems without permit of pollution control authorities.

No discharge to surface waters is allowed without NPDES permit.

Waste disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Do not allow the

product to be released to the environment.

SECTION 14: Transportation information

14.1 UN number, proper shipping name, class and packaging groups.

Domestic Ground Non-Bulk Shipments

UN2922, CORROSIVE LIQUIDS, TOXIC, N.O.S. (HYDROFLUORIC ACID/SULFURIC ACID) 8, (6.1), II

14.2 Additional information

Not available

SECTION 15: Regulatory Information

15.1 Federal regulations

TSCA Inventory: The components of this product are listed.

SARA 311/312 Hazard category (40 CFR 370.2): Acute and chronic health hazard.

SARA 313 Toxic Release Reporting (40CFR Part 372): Nonylphenol, ethoxylated, CAS# 127087-87-0, 1-5% by wt./ Sulfuric Acid, CAS# 7664-93-9, 5-10% by wt./ Hydrofluoric Acid, CAS# 7664-39-3, 5-10% by wt.

SARA 302 EHS Emergency Planning (40CFR Part 355): Sulfuric Acid, CAS# 7664-93-9, RQ 1,000 lbs./ Hydrofluoric Acid, CAS# 7664-39-3, RQ 100 lbs.

SARA 304 EHS Emergency Planning (40CFR Part 355): Sulfuric Acid, CAS# 7664-93-9, RQ 1,000 lbs./ Hydrofluoric Acid, CAS# 7664-39-3, RQ 100 lbs.

Safety Data Sheet

CERCLA Section 102-103 HS Released Reporting (40 CFR part 302-102a): Sulfuric Acid, CAS# 7664-93-9, RQ 1,000 lbs./ Hydrofluoric Acid, CAS# 7664-39-3, RQ 100 lbs.

15.2.1 International regulations

No Data

15.2.2 National regulations

No Data

15.3 State Regulations

California Prop. 65

Approximate quantities by weight

- Strong inorganic acid mists containing sulfuric acid/ cancer / CAS# 7664-39-3/ 5-10% by wt.
- Ethylene oxide/ cancer/ CAS# 75-21-8/ Trace
- Ethylene oxide / female/ CAS# 75-21-8/ Trace
- Ethylene oxide / developmental, male / CAS# 75-21-8/ Trace

New Jersey Right to Know

Approximate quantities by weight

- HYDROGEN FLUORIDE/ CAS# 7664-39-3/ 5-10% by wt.
- SULFURIC ACID/ CAS# 7664-93-9/ 5-10% by wt.
- ETHYLENE OXIDE/ CAS# 75-21-8/ Trace

SECTION 16: Other Information

.Other information	None
NFPA	
NFPA Health Hazard	3
NFPA Fire Hazard	0
NFPA Reactivity	1
HMIS	
Health	3
Flammability	0
Physical	1
Personal Protection	Χ

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.